

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016 Revision: 03/23/2016

1 Identification

· Product identifier

• Trade name: 860 ASTM Friction Tape 822 Rubber Tape

· Product code:

860: 3/4 X 60' Friction Tape

860B: BULK-3/4 X 60' Friction Tape

822: 3/4 X 22' Rubber Tape

· Recommended use and restriction on use

· Recommended use: Electrical tape / Self-fusing insulating rubber tape

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

L.H. Dottie Company 6131 Garfield Ave. Commerce, CA 90040 (323) 725-1000

· Emergency telephone number:

ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements This product does not have a classification according to the GHS regulation.
- · Hazard pictograms: Not regulated.
- · Signal word: Not regulated.
- · Hazard-determining components of labeling: Not applicable.
- · Hazard statements: Not regulated.
- Precautionary statements: Not regulated.
- Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

1333-86-4 carbon black

& Carc. 2, H351

<3%

Page: 1/8

Additional information:

Non-classification as a carcinogen is based on non-respirable form of product.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

For the wording of the listed Hazard Statements refer to section 16.



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016 Revision: 03/23/2016

Trade name: 860 ASTM Friction Tape

822 Rubber Tape

(Cont'd. of page 1)

Page: 2/8

4 First-aid measures

Description of first aid measures

· After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Most important symptoms and effects, both acute and delayed: No relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont'd. on page 3)



Page: 3/8

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016 Revision: 03/23/2016

Trade name: 860 ASTM Friction Tape

822 Rubber Tape

(Cont'd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- · Precautions for safe handling: Use only in well ventilated areas.
- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:			
carbon black			
PEL (USA)	Long-term value: 3.5 mg/m³		
REL (USA)	Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C		
TLV (USA)	Long-term value: 3* mg/m³ *inhalable fraction		
EL (Canada)	Long-term value: 3 mg/m³ IARC 2B		
EV (Canada)	Long-term value: 3.5 mg/m³		
LMPE (Mexico)	Long-term value: 3* mg/m³ A3, *fracción inhalable		

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Do not inhale dust / smoke / mist.

Wash hands before breaks and at the end of work.

- · Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:

Gloves are advised for repeated or prolonged contact.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection: Follow relevant national guidelines concerning the use of protective eyewear.

(Cont'd. on page 4)





acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016 Revision: 03/23/2016

Trade name: 860 ASTM Friction Tape

822 Rubber Tape

(Cont'd. of page 3)

- · **Body protection:** Not required under normal conditions of use.
- Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

9 Physical and chemical properties				
Information on basic physical and chemical properties				
Appearance:				
Form:	Solid			
Color:	Black			
· Odor:	Slight			
· Odor threshold:	Not determined.			
· pH-value:	Not applicable.			
· Melting point/Melting range:	Not determined.			
Boiling point/Boiling range:	Not determined.			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not determined.			
· Auto-ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not self-igniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Not determined.			
· Vapor pressure:	Not determined.			
Density at 20 °C (68 °F):	1.26 g/cm³ (10.515 lbs/gal)			
· Relative density:	Not determined.			
· Vapor density:	Not applicable.			
· Evaporation rate:	Not applicable.			
· Solubility in / Miscibility with				
Water:	Insoluble.			
· Partition coefficient (n-octanol/wat	er): Not determined.			
· Viscosity				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			
		(Cont'd. on page 5)		





acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016 Revision: 03/23/2016

Trade name: 860 ASTM Friction Tape

822 Rubber Tape

(Cont'd. of page 4)

Other information

No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition, do not overheat.

- · Possibility of hazardous reactions: Reacts with strong acids and oxidizing agents.
- · Conditions to avoid: Excessive heat.
- · Incompatible materials: No relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- IARC (International Agency for Research on Cancer):

1333-86-4 carbon black

2B

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Eye contact.

Skin contact.

- · Repeated dose toxicity: No relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity:

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is non-classifiable as a carcinogen.

- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.

(Cont'd. on page 6)





acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016 Revision: 03/23/2016

Trade name: 860 ASTM Friction Tape

822 Rubber Tape

(Cont'd. of page 5)

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Generally not hazardous for water
- Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.
- · Other adverse effects: No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.	
		(Cont'd, on page 7



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016 Revision: 03/23/2016

Trade name: 860 ASTM Friction Tape

822 Rubber Tape

(Cont'd. of page 6)

Page: 7/8

Environmental hazards

· Marine pollutant: No

· Special precautions for user Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Reference to Carbon Black is based on unbound respirable particles and is not generally applicable to product as supplied.

1333-86-4 carbon black

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

EPA (Environmental Protection Agency):

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

1333-86-4 carbon black

2B

· NIOSH-Ca (National Institute for Occupational Safety and Health):

1333-86-4 carbon black

(Cont'd. on page 8)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016 Revision: 03/23/2016

Trade name: 860 ASTM Friction Tape

822 Rubber Tape

(Cont'd. of page 7)

· Canadian substance listings

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 03/23/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Carc. 2: Carcinogenicity, Hazard Category 2

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com