

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016

Revision: 03/23/2016

1 Identification

[•] Product identifier

Trade name: <u>RTV Silicone</u>

· Product code:

RTV10: 10.3 oz. RTV Silicon Sealant Clear- Cartridge RTV8WHT: HI-TEC Sealant(8 oz. can) White RTV8W: 7.25 oz. RTV Silicon Sealant White- Pressurized Can RTV3W: 3 oz. RTV Silicon Sealant White- Special Order- Non Cancelable- Non Returnable RTV10W: 10.3 oz. RTV Silicon Sealant White- Cartridge RTV3: 3 oz. RTV Silicon Sealant Clear- Tube RTV8: 8 oz. RTV Silicon Sealant Clear- Pressurized Can

· Recommended use and restriction on use

· Recommended use: Sealant

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: L.H. Dottie Company

6131 Garfield Ave. Commerce, CA 90040 (323) 725-1000

· Emergency telephone number:

ChemTel Inc. +1 (800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

[•] Classification of the substance or mixture

Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer.
STOT RE 2 H373 May cause damage to the blood through prolonged or repeated exposure.

⁻ Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



· Signal word: Warning

• **Hazard-determining components of labeling:** butan-2-one O,O',O"-(methylsilylidyne)trioxime N-(3-(trimethoxysilyl)propyl)ethylenediamine 2-butanone oxime

(Cont'd. on page 2)



Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016

Trade name: RTV Silicone

Revision: 03/23/2016

· Hazard statem	(Cont'd. of page 1
	erious eye irritation. e an allergic skin reaction.
	d of causing cancer.
	e damage to the blood through prolonged or repeated exposure.
· Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves and eye protection.
P272	Contaminated work clothing must not be allowed out of the workplace.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P363	Wash contaminated clothing before reuse.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
Other hazard	s There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Component 7631-86-9	recipitated silica (silica - amorphous)	<10%
	butan-2-one O,O',O"-(methylsilylidyne)trioxime STOT RE 2, H373 Eye Irrit. 2A, H319; Skin Sens. 1B, H317	<3%
13463-67-7	titanium dioxide	<3%
1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine Eye Dam. 1, H318 Skin Sens. 1, H317	<3%
96-29-7	2-butanone oxime Carc. 2, H351 Eye Dam. 1, H318 Acute Tox. 4, H312; Skin Sens. 1, H317 Flam. Liq. 4, H227	<19
	information: d ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade se ding of the listed Hazard Statements refer to section 16.	cret.

(Cont'd. on page 3)





acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016

Revision: 03/23/2016

Trade name: RTV Silicone

(Cont'd. of page 2)

4 First-aid measures Description of first aid measures · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eve for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting: immediately call for medical help. Most important symptoms and effects, both acute and delayed: Allergic reactions Irritant to eves. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Danger: Suspected of causing cancer. May cause damage to the blood through prolonged or repeated exposure. · Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. Treat skin and mucous membrane with antihistamine and corticoid preparations. Contains butan-2-one O,O',O''-(methylsilylidyne)trioxime, N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction. 5 Fire-fighting measures

- [·] Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: None.
- [•] Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- [•] Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- [•] Personal precautions, protective equipment and emergency procedures:
- Wear protective equipment. Keep unprotected persons away.
- Ensure adequate ventilation.
- For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

(Cont'd. on page 4)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016

Trade name: RTV Silicone

Revision: 03/23/2016

(Cont'd. of page 3)

Particular danger of slipping on leaked/spilled product. • Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling

· Precautions for safe handling: Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles:

- Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility:
- Store away from foodstuffs.

Store away from oxidizing agents.

· Further information about storage conditions:

Keep containers tightly sealed.

Protect from humidity and water.

· Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with	limit values that require monitoring at the workplace:
7631-86-9 precipita	ated silica (silica - amorphous)
NIOSH REL (USA)	Long-term value: 6 mg/m ³
OSHA PEL (USA)	Long-term value: 80 mg/m ³
13463-67-7 titaniur	m dioxide
PEL (USA)	Long-term value: 15* mg/m³ *total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 10 mg/m³ withdrawn from NIC
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B
	(Cont'd. on page 5)





Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016

Revision: 03/23/2016

	(Cont'd. of pa
EV (Canada)	Long-term value: 10 mg/m ³ total dust
LMPE (Mexico)	Long-term value: 10 mg/m ³ A4
96-29-7 2-butanc	one oxime
WEEL (USA)	Long-term value: 10 ppm DSEN
Exposure cont	
Personal protect	
	ive and hygienic measures:
	itionary measures for handling chemicals should be followed.
	foodstuffs, beverages and feed.
	ove all soiled and contaminated clothing.
	breaks and at the end of work.
	ses / fumes / aerosols.
	h the eyes and skin. htrols: No relevant information available.
Breathing equip	er normal conditions of use.
	iratory protective device in case of insufficient ventilation.
	tory protection may be advisable.
Protection of ha	
	ed for repeated or prolonged contact.
	gloves to handle contents of damaged or leaking units.
	al has to be impermeable and resistant to the product/ the substance/ the preparation
	Follow relevant national guidelines concerning the use of protective eyewear.
	: Protective work clothing
	supervision of exposure into the environment
I Imitation and	
No relevant inform	nation available

Appearance:		
Form:	Paste	
Color:	Clear to white	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	





acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016

Revision: 03/23/2016

Trade name: RTV Silicone

		(Cont'd. of page 5
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	>200 °C (>392 °F)	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
 Oxidizing properties: 	Not determined.	
[·] Vapor pressure at 25 °C (77 °F):	0.1 kPa	
· Density at 25 °C (77 °F):	1 g/cm³ (8.345 lbs/gal)	
Relative density:	Not determined.	
· Vapor density:	3 (Air=1)	
 Evaporation rate: 	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
VOC content:	1.8 g/l	
• Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions:

Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids and oxidizing agents.

· Conditions to avoid: Moisture.

· Incompatible materials: No relevant information available.

· Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

(Cont'd. on page 7)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016

Revision: 03/23/2016

Trade name: RTV Silicone

(Cont'd. of page 6)

3

2B

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification: None.

Primary irritant effect:

· On the skin: Slight irritant effect on skin and mucous membranes.

· On the eye: Irritating effect.

· Sensitization: Sensitization possible through skin contact.

· IARC (International Agency for Research on Cancer):

7631-86-9 precipitated silica (silica - amorphous)

13463-67-7 titanium dioxide

• NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

• Probable route(s) of exposure:

Ingestion.

Eye contact.

Skin contact.

· Repeated dose toxicity: Possible risk of irreversible effects.

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 2

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Suspected of causing cancer.

- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: May cause damage to the blood through prolonged or repeated exposure.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- [•] Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Cont'd. on page 8)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016

Trade name: RTV Silicone

Revision: 03/23/2016

(Cont'd. of page 7)

• Other adverse effects: No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA
 Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 9)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016

Revision: 03/23/2016

Trade name: RTV Silicone

	(Cont'd. of pag
Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
Proposition 65 (California) Chemicals known to cause cancer: Reference to Titanium Dioxide is based on unbound respirable particles and product as supplied.	is not generally applicabl
13463-67-7 titanium dioxide	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
7631-86-9 precipitated silica (silica - amorphous)	
13463-67-7 titanium dioxide	
NIOSH-Ca (National Institute for Occupational Safety and Health):	
13463-67-7 titanium dioxide	
Canadian substance listings	
Canadian Domestic Substances List (DSL):	
All ingredients are listed.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 03/23/2016 / -

 Abbreviations and acronyms:
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Cont'd. on page 10)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 03/23/2016

Trade name: RTV Silicone

Revision: 03/23/2016

(Cont'd. of page 9) **OSHA: Occupational Safety & Health** Flam. Liq. 4: Flammable liquids, Hazard Category 4 Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B Carc. 2: Carcinogenicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

